

DEPARTMENT OF TOXIC SUBSTANCES CONTROL

REGION 4

245 WEST BROADWAY, SUITE 350

LONG BEACH, CA 90802

(310) 590-4868



March 31, 1993

Ms. Lisa K. Edwards
Senior Environmental Engineer
Solar Turbines Incorporated
P.O. Box 85376
San Diego, California 92186-5376

Dear Ms. Edwards:

CLOSURE PLAN: SOLAR TURBINES INCORPORATED, HARBOR DRIVE FACILITY,
2200 PACIFIC HIGHWAY, SAN DIEGO, CALIFORNIA
(EPA ID. No. CAD008314908)

On January 15, 1993, the Department of Toxic Substances Control (Department) received the revised draft Closure Plan (CP) dated January 1993 for the above facility. Based on our review, the draft CP is deemed administratively complete. Although deemed complete, the Department may request additional information or clarification. The Department may also make modifications to the draft CP to bring specific sections into regulatory compliance.

The Department plans to public notice the draft CP around the first week of May 1993. After all the comments on the draft CP have been received, a final decision to approve, modify or deny the CP will be issued.

To help the Department public notice this project, we request your assistance in developing a mailing list. Please acquire and submit a list of names and addresses of residences or owners of properties within a quarter mile radius from the Harbor Drive facility. The mailing list should also include the names and addresses of any schools and hospitals nearby the facility even if they are beyond a quarter mile radius.

If you have any questions regarding this letter, please contact Mr. Ronald Okuda at (310) 590-4885.

Sincerely,

A handwritten signature in dark ink, appearing to read 'Robert M. Senga'.

Robert M. Senga
Unit Chief
Facility Permitting Branch

cc: See next page.

Ms. Lisa K. Edwards

March 31, 1993

Page 2

cc: Mr. Kenneth A. Lepic
Senior Program Manager
ENSR Consulting and Engineering
14715 N.E. 95th Street, Suite 200
Redmond, Washington 98052

Mr. Donn Lipera
Hazardous Materials Specialist
Hazardous Materials Management Division
Department of Health Services
P.O. Box 85261
San Diego, California 92138-5261

Mr. Corey Walsh
Regional Water Quality Control Board
9771 Clairemont Mesa Boulevard
Suite "B"
San Diego, California 92124-1331

Mr. Tomas Torres
Permits Section
Hazardous Waste Management Division (H-3-2)
U. S. EPA / Region IX
75 Hawthorne Street
San Francisco, California 94105